





NETWORK







Lexmark C540n Series

Lexmark C540n

Lexmark C543dn

Lexmark C544 models



Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%(1), it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

> Source: InfoTrends/CapVentures., «Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service», August, 2008

Colour is here to stay! Now with Lexmark's new C540 Series, small to mid-sized workgroups can tap into the business benefits of using Lexmark colour lasers. Experience the ultimate combination of outstanding print quality, rapid output speeds and smart productivity tools - all packed into an amazingly small printer that fits virtually anywhere.



Convenience by your side

Make a big impact on your business with a genuine desktop-friendly colour printer. With their small, attractive new design and quiet noise level. Lexmark's new colour lasers will be welcome additions to your desktop or small workgroup.

- Exceptionally tiny footprint and low profile
- As quiet as 47 dBA while printing; reduce sound even more with Quiet Mode
- Sleek, innovative desktop-friendly design
- Built-in networking on all models to share the benefits of



Brighten up your business and your image

Add professional colour to your documents. Lexmark gives you the tools to control colour output and puts its colour expertise to work for you, so all your brochures, reports and graphics come out vivid and accurate to the finest details.

- Vibrant print quality: true 1200 x 1200 dpi resolution
- New generation Lexmark toner for colour quality and consistency
- Consistent colour tones with professional Pantone calibration
- · Colour-control tools: coverage estimator and ColorSaver™ mode
- Lexmark High Yield and Extra High Yield Toner Cartridges cut printing costs to a minimum



Reap the benefits of productivity

Lexmark's C540 Series gives you a rapid first-page-out and races through your print runs at blazing speeds. What's more, these printers offer you the versatility you need to keep up with your demanding office printing needs.

- First page out as fast as 12 seconds with instant warm-up fuser
- PCL 6 and PostScript 3 emulations ensure compatibility with your application software
- Duplex printing models, now available at an attractive price
- 100-sheet multipurpose feeder and 550-sheet main tray are combined in one unique Duo Drawer option

Eco-responsible printing

Printing responsibly means everyone wins – your business, your budget and the environment! Lexmark's C540 Series is eco-designed and comes with a vast range of features to help you print greener at every level.

- Paper-saving built-in duplex-printing models available
- Eco-Mode reduces power consumption
- Lets you print multiple pages per sheet
- Instant warm-up fuser saves energy
- Lexmark Cartridge Collection Programme for leading-edge recycling



Simplicity in a snapshot!



Easy access

Easy-to-load toner cartridges take just seconds to replace



Intuitive management

Manage configuration settings via control panel, Web interface or Lexmark network-management tools (MarkVision Professional)



PC-free printing

Print image files directly from a USB key or PictBridge-enabled camera



Simple sharing

Very easy to set up and share with built-in network printing



Lexmark C540n Series | Experience the perfect fit



Lexmark Rewards Add life to your printer



The Lexmark Rewards programme extends the life of your printer - it also reduces operating costs and helps the environment. As a member, you'll receive a free imaging kit when your printer next needs

We'll also send you a free Lexmark High Yield Toner Cartridge of your choice for every 10 empty Lexmark cartridges you return to us. It's our way of saying thank you for using original Lexmark cartridges with your Lexmark C540 Series colour laser.

Learn more www.LexmarkRewards.com

Get exactly the performance you need







Lexmark C540n

A great colour value for your small office

- Up to 20 ppm printing in black and colour
- Rapid first-page-out
- High-speed USB 2.0 and Fast Ethernet
- PCL 6 and PostScript 3 emulations
- True 1200 x 1200 dpi colour print quality
- Optional Duo Drawer expands input capacity and includes a multipurpose feeder
- Lexmark High Yield Toner Cartridges available
- Recommended monthly volume: 500 to 1,500 pages

Lexmark C543dn

Smart savings for your daily colour printing

- Integrated duplex printing: saves paper and money
- Ships with Lexmark High Yield Toner Cartridges (2.5K Black, 2K Colour)
- Network-ready with easy set-up
- Recommended monthly volume: 500 to 1,500 pages

Lexmark C544 models

Fully loaded colour performance for your workgroup

- Fast printing up to 23 ppm in black and colour
- Lexmark Extra High Yield Toner Cartridges available (6K Black, 4K Colour)
- Front USB port for walk-up printing
- Recommended monthly volume: 800 to 3,000 pages

Configurations available: Lexmark C544n, Lexmark C544dn, Lexmark C544dtn, Lexmark C544dw* *Wireless model not available in all countries

Product specifications

Lexmark C540n Series

	Lexmark C540n	Lexmark C543dn	Lexmark C544n
Printing			
Print Technology		Color Laser	
Print Speed (A4 mono): Up to	20 ppm	20 ppm	23 ppm
Print Speed (A4 colour): Up to	20 ppm	20 ppm	23 ppm
Time to First Page (Black)	As fast as 12 seconds	As fast as 12 seconds	As fast as 11 seconds
Time to First Page (Colour)	as fast as 13 seconds	as fast as 13 seconds	as fast as 12 seconds
Print Resolution, Black		1200 x 1200 dpi, 4800 Color Quality (1200 x 600 dpi	
Print Resolution, Colour			
Memory, standard	1200 x 1200 dpi, 4800 Colour Quality (1200 x 600 dpi) 128 MB		
Memory network model, maximum			
	47 - 10 4	640 MB	40 -104
Noise Level, Operating	47 dBA	47 dBA	49 dBA
Noise Level, Idle		inaudible dBA	
Maximum Monthly Duty Cycle: Up to	35000 pages per month	35000 pages per month	55000 pages per month
Recommended Monthly Page Volume	500 - 1500 Pages	500 - 1500 Pages	800 - 3000 Pages
Supplies			
Supplies Yield	Average continuous black or continuous compo-	Average continuous black or continuous compo-	Average continuous black or continuous compo
	site CMY declared cartridge yield up to this number	site CMY declared cartridge yield up to this number	site CMY declared cartridge yield up to this num
	of standard pages in accordance with ISO/IEC	of standard pages in accordance with ISO/IEC	of standard pages in accordance with ISO/IEC
	19798., 1,000*-page Colour Toner Cartridges	19798., 1,000*-page Colour Toner Cartridges	19798., 1,000*-page Colour Toner Cartridges
	(CMY), 2,000*-page Colour High Yield Toner Car-	(CMY), 2,000*-page Colour High Yield Toner Car-	(CMY), 2,000*-page Colour High Yield Toner
	tridges (CMY), 2,500*-page Black High Yield Toner		
	Cartridge, 1,000*-page Black Toner Cartridge	Cartridge, 1,000*-page Black Toner Cartridge	Yield Toner Cartridges (CMY), 2,500*-page Blad
	The second secon	ge, 1, pagege	High Yield Toner Cartridge, 6,000*-page Black
			Extra High Yield Toner Cartridge, 1,000*-page
			Black Toner Cartridge
			Black Torier Cartriage
Cartridge(s) Shipping with Product	1,000*-page Black Return Program Toner Car-	2,500*-page Black Return Program Toner Car-	2,500*-page Black Return Program Toner Car-
	tridge, 1,000*-page Colour (CMY) Return Program	tridge, 2,000*-page Colour (CMY) Return Program	tridge, 2,000*-page Colour (CMY) Return Progra
	Toner Cartridges	Toner Cartridges	Toner Cartridges
Paper Handling			
Paper Handling Standard	100-Sheet Output Bin, Single Sheet Manual Feed,	100-Sheet Output Bin, Integrated Duplex, Single	100-Sheet Output Bin, Single Sheet Manual Fe
	250-Sheet Input Tray	Sheet Manual Feed, 250-Sheet Input Tray	250-Sheet Input Tray
Paper Handling Optional		550-Sheet Duo Drawer with 100-Sheet Feeder	
Paper Input Capacity, Standard: Up to	250 + 1 pages at 80 gsm bond		
Paper Input Capacity, Maximum: Up to	200 + 1 pages at 80 gsm bond 900 + 1 pages at 80 gsm bond		
Paper Output Capacity, Standard: Up to			
Paper Output Capacity, Maximum: Up to	100 pages at 80 gsm bond		
Media Types Supported	100 pages at 80 gsm bond		
	Card Stock, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide A4, A5, Executive, Folio, JIS-B5, Legal, Letter, Universal, Oficio, A6		
Media Sizes Supported	A4, At	b, Executive, Folio, JIS-B5, Legal, Letter, Universal, Oti	CIO, Ab
Compatibility	T00 10 10 1 T00 10 10 1 T00 100	T-00-10-10-1-1-10-1-10-1-10-1-10-1	T TOD 10 10 1 1 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1
Network Protocol Support	TCP/IP IPv4, TCP/IP IPv6, TCP, UDP	TCP/IP IPv4, TCP/IP IPv6, TCP, UDP	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UI
Printer Languages (Standard)	PCL 5c Emulation, PCL 6 Emulation, PostScript	PCL 5c Emulation, PCL 6 Emulation, PostScript	PCL 5c Emulation, PCL 6 Emulation, PPDS,
	3 Emulation	3 Emulation	PostScript 3 Emulation, PDF 1.6, Direct Image
Standard Ports			
Standard Pofts	Fast Ethernet, USB 2.0 Specification Hi-Speed	Fast Ethernet, USB 2.0 Specification Hi-Speed	Fast Ethernet, USB 2.0 Specification Hi-Speed
	Certified (Type B)	Certified (Type B)	Certified (Type B), PictBridge Certified Port, Fron
			USB port Compatible with USB 2.0 Specification
			(Type A)
Microsoft Windows Operating Systems Supported	2000, XP, Server 2003, XP x64, Server 2003 runni	ng Terminal Services, 2000 Server running Terminal S	ervices, Server 2003 x64, Server 2003 x64 runnin
	Terminal Services, Vista, Vista x64, Server 2008,	Server 2008 x64, Server 2008 running Terminal Serv	rices, Server 2008 x64 running Terminal Services
Apple Macintosh Operating Systems Supported	Mac OS X, Mac OS 9.x		
General			
Product Guarantee	1 Year Onsite, Next Business Day		
Product Certifications	www.lexmark.co.uk		
Size (mm - H x W x D)	292 x 424 x 400 mm		
Weight (kg)	21 kg		
	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3048 Meters (10,000 Feet)		


Maximum Monthly Duty Cycle
-Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Recommended Monthly Page Volume
«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Trademarks
Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark C540n Series

Lexmark C540n




Paper Handling Standard
Paper Handling Optional

Part #	Model
0026A0035	Lexmark C540n
Part #	Laser Toner/Print Cartridge
0C540H1YG 0C540A1KG 0C540A1CG 0C540A1YG 0C540H2KG 0C540H2KG 0C540H2KG 0C540H2WG 0C540H2YG 0C540H2YG 0C540H2YG	Magenta High Yield Return Program Toner Cartridge Yellow High Yield Return Program Toner Cartridge Black Return Program Toner Cartridge
Part #	Paper & Transparencies
0012A5951 0012A8241 0012A5950	Glossy Laser Paper, A4 (200) Professional Color Laser Transparencies, A4 Glossy Laser Paper, Letter (200)
Part #	Paper Handling
003000551	550-Sheet Duo Drawer with 100-Sheet MPF
Part #	Memory Options
001022298 001022299 001022301	128MB DDR1-DRAM 256MB DDR1-DRAM 512MB DDR1-DRAM
Part #	Connectivity
001021294 0014T0165 0014T0220	USB (2 Meter) Cable Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server
Part #	Extended Warranties
002350407 002350408 002350409 002350411	C540 2-Years Total Onsite Service, Next Business Day C540 3-Years Total Onsite Service, Next Business Day C540 4-Years Total Onsite Service, Next Business Day C540 1-Year Renewal Onsite Service, Next Business Day

In the box

Lexmark 0540n color laser printer, 1,000*-page color (CMY) Starter Toner Cartridges, 1,000*-page Black Starter Toner Cartridge, 4 Developer units (K, C MY), Photoconductor unit, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Operator panel language overlays, Cartridge Return Program Information

Lexmark C543dn



Paper Handling Optional


In the box

Lexmark C543dn color laser printer, 2,000*-page color (CMY) Starter Toner Cartridges, 2,500*-page Black Starter Toner Cartridge, 4 Developer units (K, C MY), Photoconductor unit, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Operator panel language overlays, Cartridge Return Program Information

Lexmark C540n Series

Extended Warranties

Lexmark C544n



0014T0220 MarkNet™ N7020e Gigabit Ethernet Print Server Part # Model 0026C0085 Lexmark C544n D026C00085 Lexmark C544n

Part # Laser Toner/Print Cartridge

OC544X1KG Oxpa Extra High Yield Return Program Toner Cartridge

OC544X1KG Oxpa Extra High Yield Return Program Toner Cartridge

OC544X1MG Magenta Extra High Yield Return Program Toner Cartridge

OC544X1MG Magenta Extra High Yield Return Program Toner Cartridge

OC540H1KG Black High Yield Return Program Toner Cartridge

OC540H1KG Black High Yield Return Program Toner Cartridge

OC540H1KG Wagenta High Yield Return Program Toner Cartridge

OC540H1KG Magenta High Yield Return Program Toner Cartridge

OC540H1KG Magenta High Yield Return Program Toner Cartridge

OC540H1KG Black Return Program Toner Cartridge

OC540A1KG Oxpa Return Program Toner Cartridge

OC540A1KG Magenta Return Program Toner Cartridge

OC540A1KG Vellow Return Program Toner Cartridge

OC540A1KG Wagenta Return Program Toner Cartridge

OC540A1KG Wellow Return Program Toner Cartridge

OC540A2KG Black Extra High Yield Toner Cartridge

OC540A2KG Oxpa Return High Yield Toner Cartridge

OC540A2KG Black High Yield Toner Cartridge

OC540A2KG Oxpa High Yield Toner Cartridge

OC540A2KG Wagenta Wagenta Wagenta Wagenta Wagenta Wagenta Wagenta W 002350477 C544 2-Years Total Onsite Service, Next Business Day 002350478 C544 3-Years Total Onsite Service, Next Business Day 002350479 C544 4-Years Total Onsite Service, Next Business Day 002350481 C544 1-Years Total Onsite Service, Next Business Day 002350481 C544 1-Year Renewal Onsite Service, Next Business Day Part # Paper & Transparer 0012A5951 Glossy Laser Paper, A4 (200) 0012A8241 Professional Color Laser Transparencies, A4 0012A5950 Glossy Laser Paper, Letter (200) 003000551 550-Sheet Duo Drawer with 100-Sheet MPF Memory Options 128MB DDR1-DRAM 256MB DDR1-DRAM 512MB DDR1-DRAM 64MB Flash Card Part # 001021294 USB (2 Meter) Cable 0014T0165 Lexmark N4050e 802.11g Wireless Print Server

Other models available

C544dn: Lexmark C544n + integrated duplex C544dw: Lexmark C544dn + built-in wireless C544dtn: Lexmark C544dn + extra drawer

Lexmark C544n color laser printer, 3,000*-page color (CMY) Starter Toner Cartridges, 4,000*-page Black Starter Toner Cartridge, 4 Developer units (K, C MY), Photoconductor unit, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Operator panel language overlays, Cartridge Return Program Information

Lexmark's guarantee to you
At Lexmark, we're always working hard to ensure you achieve maximum productivity and minimum downtime. For greater level of peace of mind, you can opt for one of our Lexmark service offerings detailled on www.lexmark.com/services

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programmes please visit www.lexmark.com/recycle

Cost saving and environmental features

- Energy Star compliant
- Duplex printing, print and hold (verify print), multi-up printing and quality printingon recycled paper help reducing paper consumption
- Selectable toner saving modes help reducing the amount of toner used on a page.

 Return programme cartridges and end-of-lifeproduct management help reducing landfill



